

본 카탈로그의 내용을 사전승인 없이 무단 전재 및 재배포 경우  
관련 법령에 의거 제재를 받을수 있습니다.

# FARO

파 로 라 이 텅

SPOT · DOWN LIGHT · PENDANT · OUTDOOR LIGHT



# MG

INTERIOR TREND LIGHT

PENDANT / CEILING LIGHT / DOWN LIGHT

Spot light direct beautiful space where you need, such as department store, coffee shop, bakery, hospital, airport, hotel and gallery. Specially, it gives luxurious effect to the detail of wonderful interior.





**SPOT INTERIOR LIGHT**

Spot light direct beautiful space where you need, such as department store, coffee shop, bakery, hospital, airport, hotel and gallery. Specially, it gives luxurious effect to the detail of wonderful interior.



**MG** SPOT LIGHT  
NEW TREND INTERIOR LIGHT



▶ 설치 방법 이미지



**MG** SPOT LIGHT  
NEW MAGNET SYSTEM LIGHT

Spot light direct beautiful space where you need, such as department store, coffee shop, bakery, hospital, airport, hotel and gallery. Specially, it gives luxurious effect to the detail of wonderful interior.

# MG 2001 LIGHT

PENDANT • CEILING LIGHT • DOWN LIGHT



▶ 펜던트형



## MG\_2001

MAGNET SYSTEM 6W, 12W, 18W, 24W, 30W

Spot light direct beautiful space where you need, such as department store, coffee shop, bakery, hospital, airport, hotel and gallery. Specially, it gives luxurious effect to the detail of wonderful interior.

### MG\_2001 LIGHT IMAGE COLLECTION



▶ 직부형



▶ 매입형

# MG LIGHT


PENDANT • CEILING LIGHT • DOWN LIGHT

## MG\_2001

### PRODUCT INFO




#### MG 2001\_6W




**MG 2001\_6W**  
 Housing AL-Die Casting, Steel, Aluminum  
 PC / Lens Pmma  
 Size W113xD23xH44  
 Lamp LED COB 1Wx6  
 Temp 3000K, 4000K

#### MG 2001\_12W




**MG 2001\_12W**  
 Housing AL-Die Casting, Steel, Aluminum  
 PC / Lens Pmma  
 Size W220xD23xH43  
 Lamp LED COB 1Wx12  
 Temp 3000K, 4000K

#### MG 2001\_18W




**MG 2001\_18W**  
 Housing AL-Die Casting, Steel, Aluminum  
 PC / Lens Pmma  
 Size W328xD23xH43  
 Lamp LED COB 1Wx18  
 Temp 3000K, 4000K

#### MG 2001\_24W



**MG 2001\_24W**  
 Housing AL-Die Casting, Steel, Aluminum  
 PC / Lens Pmma  
 Size W434xD23xH43  
 Lamp LED COB 1Wx24  
 Temp 3000K, 4000K

#### MG 2001\_30W



**MG 2001\_30W**  
 Housing AL-Die Casting, Steel, Aluminum  
 PC / Lens Pmma  
 Size W543xD23xH43  
 Lamp LED COB 1Wx30  
 Temp 3000K, 4000K

## MG 2002 LIGHT

PENDANT • CEILING LIGHT • DOWN LIGHT



▶ 펜던트형

## MG\_2002

MAGNET SYSTEM 6W, 12W

Spot light direct beautiful space where you need, such as department store, coffee shop, bakery, hospital, airport, hotel and gallery. Specially, it gives luxurious effect to the detail of wonderful interior.



▶ 직부형



▶ 매입형

## MG LIGHT

PENDANT • CEILING LIGHT • DOWN LIGHT

## MG\_2002


MG 2002\_6W



MG 2002\_12W




### PRODUCT INFO



MG 2002\_6W

Housing AL-Die Casting, Steel, Aluminum  
PC/Lens Pmma  
Size W110×D23×H83  
Lamp LED COB 1W×6  
Temp 3000K, 4000K



MG 2002\_12W

Housing AL-Die Casting, Steel, Aluminum  
PC/Lens Pmma  
Size W219×D23×H83  
Lamp LED COB 1W×12  
Temp 3000K, 4000K

### MG 2002 LIGHT IMAGE COLLECTION



## MG 2003 LIGHT

PENDANT • CEILING LIGHT • DOWN LIGHT




▶ 펜던트형


## MG\_2003

MAGNET SYSTEM 10W, 20W, 30W

Spot light direct beautiful space where you need, such as department store, coffee shop, bakery, hospital, airport, hotel and gallery. Specially, it gives luxurious effect to the detail of wonderful interior.



▶ 직부형



▶ 매입형

## MG LIGHT

PENDANT • CEILING LIGHT • DOWN LIGHT

## MG\_2003

MG 2003\_10W




MG 2003\_20W



MG 2003\_30W




### PRODUCT INFO




MG 2003\_10W

Housing AL-Die Casting, Steel, Aluminum  
PC/Lens Pmma  
Size W303×D23×H44  
Lamp LED COB 10W  
Temp 3000K, 4000K



MG 2003\_20W

Housing AL-Die Casting, Steel, Aluminum  
PC/Lens Pmma  
Size W303×D23×H44  
Lamp LED COB 20W  
Temp 3000K, 4000K



MG 2003\_30W

Housing AL-Die Casting, Steel, Aluminum  
PC/Lens Pmma  
Size W903×D23×H44  
Lamp LED COB 30W  
Temp 3000K, 4000K

## MG 2004 LIGHT

PENDANT • CEILING LIGHT • DOWN LIGHT



## MG\_2004

MAGNET SYSTEM 10W, 20W, 30W

Spot light direct beautiful space where you need, such as department store, coffee shop, bakery, hospital, airport, hotel and gallery. Specially, it gives luxurious effect to the detail of wonderful interior.



▶ 직부형



▶ 매입형

## MG LIGHT

PENDANT • CEILING LIGHT • DOWN LIGHT

## MG\_2004

MG 2004\_10W




MG 2004\_20W



MG 2004\_30W




### PRODUCT INFO




MG 2004\_10W

Housing AL-Die Casting, Steel, Aluminum  
PC/Lens Pmma  
Size Ø48×H105 (170)  
Lamp LED COB 10W  
Temp 3000K, 4000K, 5000K



MG 2004\_20W

Housing AL-Die Casting, Steel, Aluminum  
PC/Lens Pmma  
Size Ø58×H155 (220)  
Lamp LED COB 20W  
Temp 3000K, 4000K, 5000K



MG 2004\_30W

Housing AL-Die Casting, Steel, Aluminum  
PC/Lens Pmma  
Size Ø68×H155 (221)  
Lamp LED COB 30W  
Temp 3000K, 4000K, 5000K

MG\_2005 SPOT IMAGE



**MG** LIGHT

PENDANT • CEILING LIGHT • DOWN LIGHT

**MG\_2005**

MG 2005\_6W

PRODUCT INFO



MG 2005\_6W  
 Housing AL-Die Casting, Steel, Aluminum  
 PC/Lens Pmma  
 Size Ø30×H300  
 Lamp LED COB 6W  
 Temp 3000K, 4000K



**MG\_2005**

MAGNET SYSTEM 6W

Spot light direct beautiful space where you need, such as department store, coffee shop, bakery, hospital, airport, hotel and gallery. Specially, it gives luxurious effect to the detail of wonderful interior.

## MG 2006 LIGHT

PENDANT • CEILING LIGHT • DOWN LIGHT



▶ 펜던트형

## MG\_2006

MAGNET SYSTEM 10W, 20W

Spot light direct beautiful space where you need, such as department store, coffee shop, bakery, hospital, airport, hotel and gallery. Specially, it gives luxurious effect to the detail of wonderful interior.



▶ 직부형



▶ 매입형

## MG LIGHT

PENDANT • CEILING LIGHT • DOWN LIGHT

## MG\_2006


MG 2006\_10W



MG 2006\_20W




### PRODUCT INFO



MG 2006\_10W


Housing AL-Die Casting, Steel, Aluminum  
PC/Lens Pmma  
Size W300×D32×H90  
Lamp LED COB 10W  
Temp 3000K, 4000K




MG 2006\_20W

Housing AL-Die Casting, Steel, Aluminum  
PC/Lens Pmma  
Size W602×D32×H90  
Lamp LED COB 20W  
Temp 3000K, 4000K


## Accessories



레일(매입형/직부형)



T자 X자  
WALL ㄱ자



① 일자 전원 연결 대  
② ㄱ자 전원 연결  
③ T자 전원 연결  
④ 전원 연결  
⑤ 일자 전원 연결 소



컨버터




직부형 ㄱ자 연결부속




# MG\_LIGHT

## MAGNET SYSTEM

Spot light direct beautiful space where you need, such as department store, coffee shop, bakery, hospital, airport, hotel and gallery. Specially, it gives luxurious effect to the detail of wonderful interior







**MG LIGHT**  
RAIL SPOT  
**MG\_3001**

MG 3001\_8W



**PRODUCT INFO**



**MG 3001\_8W**



Housing AL-Die Casting, Steel, Aluminum  
PC/Lens Pmma  
Size W64xD40xH64(95)  
Lamp LED COB 8W  
Temp 3000K, 4000K

**MG LIGHT**  
RAIL SPOT  
**MG\_3002**

MG 3002\_10W



**PRODUCT INFO**



**MG 3002\_10W**

Housing AL-Die Casting, Steel, Aluminum  
PC/Lens Pmma  
Size W223xD32xH60  
Lamp LED COB 10W  
Temp 3000K, 4000K

**MG\_3001**

MAGNET SYSTEM 8W

Spot light direct beautiful space where you need, such as department store, coffee shop, bakery, hospital, airport, hotel and gallery. Specially, it gives luxurious effect to the detail of wonderful interior.



**MG\_3002**

MAGNET SYSTEM 10W


Spot light direct beautiful space where you need, such as department store, coffee shop, bakery, hospital, airport, hotel and gallery. Specially, it gives luxurious effect to the detail of wonderful interior.



**MG LIGHT**  
RAIL SPOT  
MG\_3003



**PRODUCT INFO**




MG 3003\_10W  
Housing AL-Die Casting, Steel, Aluminum  
PC / Lens Pmma  
Size W300×D32×H20  
Lamp LED COB 10W  
Temp 3000K, 4000K

**MG\_3004**



MG 3004\_20W  
Housing AL-Die Casting, Steel, Aluminum  
PC / Lens Pmma  
Size W612×D32×H20  
Lamp LED COB 20W  
Temp 3000K, 4000K

**MG\_3005**



MG 3005\_10W  
Housing AL-Die Casting, Steel, Aluminum  
PC / Lens Pmma  
Size W230×D32×H20  
Lamp LED COB 10W  
Temp 3000K, 4000K




**MG\_RAIL SPOT**  
MAGNET SYSTEM

Spot light direct beautiful space where you need, such as department store, coffee shop, bakery, hospital, airport, hotel and gallery. Specially, it gives luxurious effect to the detail of wonderful interior.

**Accessories**



▶ 레일



▶ 컨버터



▶ 연결부속\_블랙


▶ 연결부속\_화이트

## MG LIGHT

### RAIL SPOT MG\_3006




#### PRODUCT INFO



#### MG 3006\_6W

Housing AL-Die Casting, Steel,  
Aluminum  
PC/Lens Pmma  
Size Ø35×H80  
Lamp LED COB 6W  
Temp 3000K, 4000K

### MG\_3007



#### MG 3007\_12W

Housing AL-Die Casting, Steel,  
Aluminum  
PC/Lens Pmma  
Size Ø45×H93 (120)  
Lamp LED COB 12W  
Temp 3000K, 4000K


## SPOT LIGHT

### RAIL SPOT INTRACK

#### 인트랙\_10W




#### PRODUCT INFO



#### 인트랙 10W

Housing AL-Die Casting, Steel,  
Aluminum  
PC/Lens Pmma  
Size Ø64×H130  
Lamp LED COB 10W  
Temp 3000K, 4000K, 5000K


#### 인트랙\_17W



#### 인트랙 17W

Housing AL-Die Casting, Steel,  
Aluminum  
PC/Lens Pmma  
Size Ø75×H160  
Lamp LED COB 17W  
Temp 3000K, 4000K, 5000K

#### 인트랙\_25W



#### 인트랙 25W

Housing AL-Die Casting, Steel,  
Aluminum  
PC/Lens Pmma  
Size Ø80×H175  
Lamp LED COB 25W  
Temp 3000K, 4000K, 5000K

MAGNET SPOT LIGHT IMAGE





## SPOT LIGHT

### LENS COB SPOT FOCUS

포커스 레일형, 직부형 10W




#### PRODUCT INFO



포커스 10W\_레일형, 직부형

Housing Die Casting  
Size Ø60×H183 (250)  
Lamp AC LED COB 5W, 10W  
Temp 3000K, 4000K, 5000K  
Dimming AC 디밍


포커스 레일형, 직부형 20W, 30W



포커스 30W\_레일형, 직부형

Housing Die Casting  
Size Ø80×H202 (276)  
Lamp AC LED COB 20W, 30W  
Temp 3000K, 4000K, 5000K  
Dimming AC 디밍

포커스 매입형 10W, 15W



포커스 10W, 15W 매입형



Housing Die Casting  
Size Ø52×H188  
Hole Ø95  
Lamp LED COB 10W, 15W  
Temp 3000K, 4000K, 5000K  
Dimming AC 디밍 (10W), 1-10V Dali

## LENS COB SPOT



### 렌즈 COB SPOT

- A/C 디밍기능 제품 (조광기 조절)
- 조명 반사면 4단 조절 가능



1단

2단

3단

4단

# SPOT LIGHT

COB  
주미\_SPOT

주미 SPOT\_10W



## PRODUCT INFO



**주미 SPOT 10W**  
 Housing Die Casting  
 Size Ø50×H225  
 Lamp LED COB 10W  
 Temp 3000K, 4000K, 5700K  
 Beam 15~60° (반사각도 조절가능)

주미 SPOT\_20W



**주미 SPOT 20W**  
 Housing Die Casting  
 Size Ø65×H263  
 Lamp AC COB 20W  
 Temp 3000K, 4000K, 5700K  
 Beam 15~60° (반사각도 조절가능)  
 Dimming AC 디밍

주미 SPOT\_30W



**주미 SPOT 30W**  
 Housing Die Casting  
 Size Ø86×H280  
 Lamp AC COB 30W  
 Temp 3000K, 4000K, 5700K  
 Beam 15~60° (반사각도 조절가능)  
 Dimming AC 디밍

## 주미 SPOT IMAGE COLLECTION





## SPOT LIGHT

COB  
FAS\_006(A)




### PRODUCT INFO



FAS-006(A)  
Housing Die Casting  
Size  $\varnothing 57 \times H154(207)$   
Lamp LED COB 15W  
Temp 3000K  
Beam 15~60° (반사각도 조절가능)

FAS\_006(B)



FAS-006(B)  
Housing Die Casting  
Size  $\varnothing 88 \times H203$   
Lamp LED COB 30W  
Temp 3000K  
Beam 15~60° (반사각도 조절가능)

### SPOT LIGHT IMAGE COLLECTION




### SPOT LIGHT

Spot light direct beautiful space where you need, such as department store, coffee shop, bakery, hospital, airport, hotel and gallery. Specially, it gives luxurious effect to the detail of wonderful interior.



## FAS\_006

LENS STYLE SPOT LIGHTING





## SPOT LIGHT

AC 디밍 COB SPOT/리모컨 디밍  
롱 COB\_A형

롱 COB\_10W A형




### PRODUCT INFO




롱 COB 10W A형  
Housing Die Casting  
Size  $\varnothing 48 \times H140$  (180)  
Lamp AC LED COB 5W, 10W  
Temp 3000K, 4000K, 5000K  
Dimming AC 디밍

롱 COB\_20W A형



롱 COB 20W A형  
Housing Die Casting  
Size  $\varnothing 64 \times H130$   
Lamp AC LED COB 20W  
Temp 3000K, 4000K, 5000K  
Dimming AC 디밍

롱 COB\_30W A형



롱 COB 30W A형  
Housing Die Casting  
Size  $\varnothing 64 \times H185$   
Lamp AC LED COB 30W  
Temp 3000K, 4000K, 5000K  
Dimming AC 디밍



## SPOT LIGHT

COB  
FAS-007\_A형

FAS-007\_10W A형




### PRODUCT INFO




FAS-007 10W A형  
Housing Die Casting  
Size  $\varnothing 65 \times H140$  (200)  
Lamp AC LED COB 10W, 15W  
Temp 3000K, 4000K, 5000K  
Dimming AC 디밍

FAS-007\_20W A형



FAS-007 20W A형  
Housing Die Casting  
Size  $\varnothing 75 \times H16$  (220)  
Lamp AC LED COB 15W, 20W  
Temp 3000K, 4000K, 5000K  
Dimming AC 디밍

FAS-007\_30W A형




FAS-007 30W A형  
Housing Die Casting  
Size  $\varnothing 80 \times H175$  (235)  
Lamp LED COB 30W  
Temp 3000K, 4000K, 5000K  
Dimming AC 디밍

## SPOT LIGHT

COB  
투투\_SPOT




### PRODUCT INFO




투투 COB SPOT  
Housing Die Casting  
Size Ø65×H133  
Lamp AC LED COB 10W  
Temp 3000K, 4000K, 5000K  
Dimming AC 디밍

## 투비\_SPOT



투비 COB SPOT  
Housing Die Casting  
Size Ø62×H207  
Lamp AC LED COB 15W  
Temp 3000K, 4000K, 5000K  
Dimming AC 디밍

## 반매입 55, 75\_SPOT



반매입 55 (회전 가능)  
Size Ø65×H200  
Hole Ø55  
Lamp LED COB 10W


반매입 75 (회전 가능)  
Size Ø85×H200  
Hole Ø70-Ø75  
Lamp LED COB 10W

## SPOT LIGHT

COB  
FAD\_100



### PRODUCT INFO



FAD 100  
Housing AL-Die Casting, Steel, Aluminum  
PC / Lens Pmma  
Size W960×D42×H83  
Lamp LED COB 100W  
Temp 3000K

## FAD SPOT LIGHT





## SPOT LIGHT

COB  
투유 COB SPOT




### PRODUCT INFO



#### 투유 COB SPOT

Housing Die Casting  
Size  $\varnothing 63 \times H142$   
Lamp COB 10W  
Temp 3000K, 4000K

COB  
FAS-004



#### FAS-004

Housing Die Casting  
Size  $\varnothing 69 \times H183$   
Lamp COB 15W  
Temp 3000K, 4000K

### SPOT LIGHT IMAGE COLLECTION





## SPOT LIGHT

COB  
FAS-301




### PRODUCT INFO



#### FAS-301

Housing Die Casting  
Size  $W62 \times D26 \times H205$   
Lamp COB 2W $\times$ 3  
Temp 3000K

COB  
FAS-601



#### FAS-601

Housing Die Casting  
Size  $W117 \times D26 \times H134$   
Lamp COB 2W $\times$ 6  
Temp 3000K

### SPOT LIGHT IMAGE COLLECTION



### SPOT INTERIOR LIGHT

Spot light direct beautiful space where you need, such as department store, coffee shop, bakery, hospital, airport, hotel and gallery.  
Specially, it gives luxurious effect to the detail of wonderful interior.



## SPOT LIGHT

COB  
FAS-007\_B형

FAS-007\_10W B형




### PRODUCT INFO



#### FAS-007 10W B형

Housing Die Casting  
Size  $\varnothing 65 \times H140$  (217)  
Lamp LED COB 10W  
Temp 3000K, 4000K, 5700K  
Angle 24°  
Dimming Triac, 1-10V, Dali


FAS-007\_20W B형



#### FAS-007 20W B형

Housing Die Casting  
Size  $\varnothing 75 \times H160$  (230)  
Lamp LED COB 20W  
Temp 3000K, 4000K, 5700K  
Angle 24°  
Dimming Triac, 1-10V, Dali

FAS-007\_30W B형



#### FAS-007 30W B형

Housing Die Casting  
Size  $\varnothing 80 \times H175$  (240)  
Lamp LED COB 30W  
Temp 3000K, 4000K, 5700K  
Angle 24°  
Dimming Triac, 1-10V, Dali



## SPOT LIGHT

COB  
롱 COB\_B형

롱 COB 20W,30W B형




### PRODUCT INFO



#### 롱 COB B형

Housing Die Casting  
Size  $\varnothing 64 \times H185$  (260)  
Lamp LED COB 20W, 30W  
Temp 2700K, 3000K, 3500K, 4000K, 5700K  
Dimming Triac, 1-10V, Dali  
리모컨 색상변환 (2700K~6500K) 디밍 방식


피스톤 SPOT 30W, 40W



#### 피스톤 COB SPOT

Housing Die Casting  
Size  $\varnothing 96 \times H130$   
Lamp LED COB 30W, 40W  
Dimming Triac, 1-10V, Dali

쥬피터 SPOT 30W, 40W




#### 쥬피터

Housing Die Casting  
Size  $\varnothing 100 \times H133$  (175)  
Lamp LED COB 30W, 40W  
Temp 3000K, 4000K, 5000K  
Dimming Triac, 1-10V, Dali

**SPOT LIGHT**

베이커리 Food lighting  
LED 20W,30W, 2400K



**Bread**  
Normal

**Bread**  
LED 2400K




**PRODUCT INFO**




베이커리 Food lighting  
LED 20W, 30W, 2400K

정육점 Food lighting  
LED 20W, 30W, 2800K



**Meat**  
Normal

**Meat**  
LED 2800K



LED Food lighting / LED 20W, 30W / 3100K, 9000K, 2400K, 2800K





**Bread**  
Normal

**Fish**  
LED 9000K



수산 Food lighting  
LED 20W, 30W, 9000K



**Vegetable**  
Normal

**Vegetable**  
LED 3100K



야채 Food lighting  
LED 20W, 30W, 3100K


## DOWN LIGHT

COB  
포켓43

DOWN LIGHT




### PRODUCT INFO



포켓 43  
Housing Die Casting  
Size Ø50×H90  
Hole Ø43  
Lamp LED COB 6W  
Temp 3000K, 4000K

샤벳75

DOWN LIGHT



샤벳 75  
Housing Die Casting  
Size Ø86×H92  
Hole Ø75  
Lamp LED COB 15W  
Temp 3000K, 4000K  
Angle 24°


## DOWN LIGHT

COB  
민자반사 COB

DOWN LIGHT




### PRODUCT INFO



민자 반사 COB  
Housing Die Casting  
Size Ø58×H110  
Hole Ø50  
Lamp LED COB 8W  
Temp 3000K, 4000K  
Angle 24°


3인치 블랙 니켈 매입

DOWN LIGHT



3인치 블랙 니켈 매입  
Housing Die Casting  
Size Ø90×H54  
Hole Ø75  
Lamp LED COB 10W  
Temp 3000K, 4000K, 5700K  
Angle 24°

## DOWN LIGHT 15W




POWER CONSUMPTION (소비전력)	10W	
INPUT VOLTAGE	AC 220V/50-60HZ	
PKG VOLTAGE FORWARD	DC36V	
INPUT POWER	10W	
OUTPUT POWER	9.5W	
PKG CURRENT	250mA	
COLOR TEMPER	3000K	4000K
PRODUCT LUMINOUS FLUX @80(광속)	836LM	874LM
PRODUCT EFFICIENCY @80 (효율)	88LM	92LM
CRI (연색성)	Ra90 이상	
POWER FACTOR	0.95	

### DOWN LIGHT

Down light direct beautiful space where you need, such as department store, coffee shop, bakery, hospital, airport, hotel and gallery. Specially, it gives luxurious effect to the detail of wonderful interior.

## DOWN LIGHT 10W



POWER CONSUMPTION (소비전력)	10W	
INPUT VOLTAGE	AC 220V/50-60HZ	
PKG VOLTAGE FORWARD	DC36V	
INPUT POWER	10W	
OUTPUT POWER	9.5W	
PKG CURRENT	250mA	
COLOR TEMPER	3000K	4000K
PRODUCT LUMINOUS FLUX @80(광속)	836LM	874LM
PRODUCT EFFICIENCY @80 (효율)	88LM	92LM
CRI (연색성)	Ra90 이상	
POWER FACTOR	0.95	

### DOWN LIGHT

Down light direct beautiful space where you need, such as department store, coffee shop, bakery, hospital, airport, hotel and gallery. Specially, it gives luxurious effect to the detail of wonderful interior.

## DOWN LIGHT

COB  
폰드 55

DOWN LIGHT



폰드 75

DOWN LIGHT




폰드 100


DOWN LIGHT




### PRODUCT INFO



폰드 55  
Housing Die Casting  
Size Ø65×H40  
Hole Ø55  
Lamp LED COB 5W  
Temp 3000K, 4000K  
Angle 36°



폰드 75  
Housing Die Casting  
Size Ø90×H53  
Hole Ø75  
Lamp LED COB 12W  
Temp 3000K, 4000K  
Angle 36°  
Dimming Triac, 1-10V, Dali



폰드 100  
Housing Die Casting  
Size Ø115×H66  
Hole Ø100  
Lamp LED COB 18W  
Temp 3000K, 4000K  
Angle 36°  
Dimming Triac, 1-10V, Dali

## DOWN LIGHT

COB  
폰드 120

DOWN LIGHT




폰드 150


DOWN LIGHT



### PRODUCT INFO




폰드 120  
Housing Die Casting  
Size Ø140×H75  
Hole Ø100  
Lamp LED COB 28W  
Temp 3000K, 4000K  
Angle 36°  
Dimming Triac, 1-10V, Dali



폰드 150  
Housing Die Casting  
Size Ø183×H94  
Hole Ø150  
Lamp LED COB 38W  
Temp 3000K, 4000K  
Angle 36°  
Dimming Triac, 1-10V, Dali

### DOWN LIGHT 40W



#### DOWN LIGHT

Down light direct beautiful space where you need, such as department store, coffee shop, bakery, hospital, airport, hotel and gallery. Specially, it gives luxurious effect to the detail of wonderful interior.

POWER CONSUMPTION (소비전력)	40W
INPUT VOLTAGE	AC 220V/50-60HZ
PKG VOLTAGE FORWARD	DC36V
INPUT POWER	40W
OUTPUT POWER	38W
PKG CURRENT	1050mA
COLOR TEMPER	3000K   4000K
PRODUCT LUMINOUS FLUX @80(광속)	3344LM   3986LM
PRODUCT EFFICIENCY @80 (효율)	88LM   104.9LM
CRI (연색성)	Ra90 이상
POWER FACTOR	0.95


## DOWN LIGHT

COB  
스툼 원형 75

DOWN LIGHT




### PRODUCT INFO



스툼 원형 75  
Housing Die Casting  
Size Ø86×H65  
Hole Ø75  
Lamp LED COB 10W  
Temp 2700K~5700K  
Angle 24°


스툼 원형 95

DOWN LIGHT



스툼 원형 95  
Housing Die Casting  
Size Ø105×H65  
Hole Ø95  
Lamp COB 15W  
Temp 3000K, 4000K  
Angle 24°

## DOWN LIGHT 10W



POWER CONSUMPTION (소비전력)	10W	
INPUT VOLTAGE	AC 220V/50-60HZ	
PKG VOLTAGE FORWARD	DC36V	
INPUT POWER	10W	
OUTPUT POWER	9.5W	
PKG CURRENT	250mA	
COLOR TEMPER	3000K	4000K
PRODUCT LUMINOUS FLUX @80(광속)	836LM	874LM
PRODUCT EFFICIENCY @80 (효율)	88LM	92LM
CRI (연색성)	Ra90 이상	
POWER FACTOR	0.95	

### DOWN LIGHT

Down light direct beautiful space where you need, such as department store, coffee shop, bakery, hospital, airport, hotel and gallery. Specially, it gives luxurious effect to the detail of wonderful interior.


## DOWN LIGHT

COB  
리플버 75

DOWN LIGHT




### PRODUCT INFO



리플버 75  
Housing Die Casting  
Size Ø95×H99  
Hole Ø75  
Lamp LED COB 10W, 15W  
Temp 2700K~5700K  
반사각도 조절가능 15~60°


투라인 75

DOWN LIGHT



투라인 75  
Housing Die Casting  
Size Ø86×H104  
Hole Ø75  
Lamp LED COB 15W  
Temp 3000K, 4000K  
Angle 24°

## DOWN LIGHT 15W



POWER CONSUMPTION (소비전력)	15W	
INPUT VOLTAGE	AC 220V/50-60HZ	
PKG VOLTAGE FORWARD	DC36V	
INPUT POWER	15W	
OUTPUT POWER	14W	
PKG CURRENT	350mA	
COLOR TEMPER	3000K	4000K
PRODUCT LUMINOUS FLUX @80(광속)	1036LM	1274LM
PRODUCT EFFICIENCY @80 (효율)	88LM	92LM
CRI (연색성)	Ra90 이상	
POWER FACTOR	0.95	

### DOWN LIGHT

Down light direct beautiful space where you need, such as department store, coffee shop, bakery, hospital, airport, hotel and gallery. Specially, it gives luxurious effect to the detail of wonderful interior.


## DOWN LIGHT

COB  
3인치 버티컬 매입 75

DOWN LIGHT



### PRODUCT INFO




#### 3인치 버티컬 매입

Housing Die Casting  
Size Ø90×H54  
Hole Ø75  
Lamp LED COB 10W  
Temp 3000K, 4000K  
Dimming AC 디밍

## 3인치 계단 매입


DOWN LIGHT



#### 3인치 계단 매입

Housing Die Casting  
Size Ø98×H44  
Hole Ø75  
Lamp COB 10W  
Temp 3000K, 4000K, 5700K  
Angle 36°

## DOWN LIGHT 10W



POWER CONSUMPTION (소비전력)	10W	
INPUT VOLTAGE	AC 220V/50-60HZ	
PKG VOLTAGE FORWARD	DC36V	
INPUT POWER	10W	
OUTPUT POWER	9.5W	
PKG CURRENT	250mA	
COLOR TEMPER	3000K	4000K
PRODUCT LUMINOUS FLUX @80(광속)	836LM	874LM
PRODUCT EFFICIENCY @80 (효율)	88LM	92LM
CRI (연색성)	Ra90 이상	
POWER FACTOR	0.95	

### DOWN LIGHT

Down light direct beautiful space where you need, such as department store, coffee shop, bakery, hospital, airport, hotel and gallery. Specially, it gives luxurious effect to the detail of wonderful interior.

## DOWN LIGHT

COB  
방습 75

DOWN LIGHT



### PRODUCT INFO



#### 방습 75

Housing Die Casting  
Size Ø95×H45  
Hole Ø75  
Lamp LED COB 10W (IP65)  
Temp 3000K, 4000K

## 방습 95


DOWN LIGHT



#### 방습 95

Housing Die Casting  
Size Ø115×H45  
Hole Ø95  
Lamp LED COB 15W (IP65)  
Temp 3000K, 4000K

## DOWN LIGHT 15W



POWER CONSUMPTION (소비전력)	15W	
INPUT VOLTAGE	AC 220V/50-60HZ	
PKG VOLTAGE FORWARD	DC36V	
INPUT POWER	15W	
OUTPUT POWER	14W	
PKG CURRENT	350mA	
COLOR TEMPER	3000K	4000K
PRODUCT LUMINOUS FLUX @80(광속)	1036LM	1274LM
PRODUCT EFFICIENCY @80 (효율)	88LM	92LM
CRI (연색성)	Ra90 이상	
POWER FACTOR	0.95	

### DOWN LIGHT

Down light direct beautiful space where you need, such as department store, coffee shop, bakery, hospital, airport, hotel and gallery. Specially, it gives luxurious effect to the detail of wonderful interior.


## DOWN LIGHT

COB  
오브제 75

DOWN LIGHT



### PRODUCT INFO




#### 오브제 75

Housing Die Casting  
Size Ø85×10W H77  
Ø85×20W H110  
Hole Ø75  
Lamp LED COB 10W, 20W  
Temp 3000K, 4000K  
Angle 24°  
Dimming Triac, 1-10V, Dali

오브제 95

DOWN LIGHT



#### 오브제 95

Housing Die Casting  
Size Ø105×H109  
Hole Ø95  
Lamp LED COB 20W  
Temp 3000K, 4000K, 5700K  
Angle 24°  
Dimming Triac, 1-10V, Dali


## DOWN LIGHT

COB  
커브 75

DOWN LIGHT



### PRODUCT INFO




#### 커브 75

Housing Die Casting  
Size Ø90×H50  
Hole Ø75  
Lamp LED COB 10W  
Temp 3000K, 4000K  
Dimming Triac, 1-10V, Dali

커브 100


DOWN LIGHT



#### 커브 100

Housing Die Casting  
Size Ø120×H67  
Hole Ø100  
Lamp LED COB 15W  
Temp 3000K, 4000K  
Dimming Triac, 1-10V, Dali

## DOWN LIGHT 20W




POWER CONSUMPTION (소비전력)	20W	
INPUT VOLTAGE	AC 220V/50-60HZ	
PKG VOLTAGE FORWARD	DC36V	
INPUT POWER	20W	
OUTPUT POWER	18.7W	
PKG CURRENT	500 0mA	
COLOR TEMPER	3000K	4000K
PRODUCT LUMINOUS FLUX @80(광속)	1757LM	1963LM
PRODUCT EFFICIENCY @80 (효율)	94LM	105LM
CRI (연색성)	Ra90 이상	
POWER FACTOR	0.95	

### DOWN LIGHT

Down light direct beautiful space where you need, such as department store, coffee shop, bakery, hospital, airport, hotel and gallery. Specially, it gives luxurious effect to the detail of wonderful interior.

## DOWN LIGHT 10W



POWER CONSUMPTION (소비전력)	10W	
INPUT VOLTAGE	AC 220V/50-60HZ	
PKG VOLTAGE FORWARD	DC36V	
INPUT POWER	10W	
OUTPUT POWER	9.5W	
PKG CURRENT	250mA	
COLOR TEMPER	3000K	4000K
PRODUCT LUMINOUS FLUX @80(광속)	836LM	874LM
PRODUCT EFFICIENCY @80 (효율)	88LM	92LM
CRI (연색성)	Ra90 이상	
POWER FACTOR	0.95	

### DOWN LIGHT

Down light direct beautiful space where you need, such as department store, coffee shop, bakery, hospital, airport, hotel and gallery. Specially, it gives luxurious effect to the detail of wonderful interior.


## DOWN LIGHT

COB  
FAD 001

DOWN LIGHT




### PRODUCT INFO



**FAD 001**  
Housing Die Casting  
Size Ø100×H98  
Hole Ø85  
Lamp LED COB 10W, 15W  
Temp 3000K, 4000K, 5700K  
Angle 24°  
Dimming Triac, 1-10V, Dali

FAD 002

DOWN LIGHT



**FAD 002**  
Housing Die Casting  
Size Ø100×H95  
Hole Ø85  
Lamp LED COB 10W  
Temp 3000K, 4000K, 5700K  
Angle 24°  
Dimming Triac, 1-10V, Dali


## DOWN LIGHT

COB  
FAD 003

DOWN LIGHT




### PRODUCT INFO



**FAD 003**  
Housing Die Casting  
Size Ø85×H108  
Hole Ø75  
Lamp LED COB 10W  
Temp 3000K, 4000K, 5700K  
Angle 24°  
Dimming Triac, 1-10V, Dali


FAD 004

DOWN LIGHT



**FAD 004**  
Housing Die Casting  
Size Ø83×H109  
Hole Ø75  
Lamp LED COB 10W  
Temp 3000K, 4000K, 5700K  
Dimming Triac, 1-10V, Dali

## DOWN LIGHT 10W




POWER CONSUMPTION (소비전력)	10W	
INPUT VOLTAGE	AC 220V/50-60HZ	
PKG VOLTAGE FORWARD	DC36V	
INPUT POWER	10W	
OUTPUT POWER	9.5W	
PKG CURRENT	250mA	
COLOR TEMPER	3000K	4000K
PRODUCT LUMINOUS FLUX @80(광속)	836LM	874LM
PRODUCT EFFICENCY @80 (효율)	88LM	92LM
CRI (연색성)	Ra90 이상	
POWER FACTOR	0.95	

### DOWN LIGHT

Down light direct beautiful space where you need, such as department store, coffee shop, bakery, hospital, airport, hotel and gallery. Specially, it gives luxurious effect to the detail of wonderful interior.

## DOWN LIGHT 10W



POWER CONSUMPTION (소비전력)	10W	
INPUT VOLTAGE	AC 220V/50-60HZ	
PKG VOLTAGE FORWARD	DC36V	
INPUT POWER	10W	
OUTPUT POWER	9.5W	
PKG CURRENT	250mA	
COLOR TEMPER	3000K	4000K
PRODUCT LUMINOUS FLUX @80(광속)	836LM	874LM
PRODUCT EFFICENCY @80 (효율)	88LM	92LM
CRI (연색성)	Ra90 이상	
POWER FACTOR	0.95	

### DOWN LIGHT

Down light direct beautiful space where you need, such as department store, coffee shop, bakery, hospital, airport, hotel and gallery. Specially, it gives luxurious effect to the detail of wonderful interior.


## DOWN LIGHT

COB  
75 미니회전

DOWN LIGHT




### PRODUCT INFO



75 미니 회전  
Housing Die Casting  
Size Ø86×H78  
Hole Ø75  
Lamp LED COB 10W, 고효율  
Temp 3000K, 4000K, 5700K  
Angle 24°  
Dimming Triac, 1-10V, Dali

95 미니회전

DOWN LIGHT



95 미니회전  
Housing Die Casting  
Size Ø108×H115  
Hole Ø95  
Lamp LED COB 20W 고효율  
Temp 3000K, 4000K, 5000K  
Angle 24°  
Dimming Triac, 1-10V, Dali

## DOWN LIGHT 10W, 20W

고효율

POWER CONSUMPTION (소비전력)	10W
INPUT VOLTAGE	AC 220V/50-60HZ
PKG VOLTAGE FORWARD	DC36V
INPUT POWER	10W
OUTPUT POWER	9.3W
PKG CURRENT	250mA
COLOR TEMPER	4000K
PRODUCT LUMINOUS FLUX @80(광속)	1190LM
PRODUCT EFFICENCY @80 (효율)	92LM
CRI (연색성)	Ra90 이상
POWER FACTOR	0.9

POWER CONSUMPTION (소비전력)	20W
INPUT VOLTAGE	AC 220V/50-60HZ
PKG VOLTAGE FORWARD	DC36V
INPUT POWER	20W
OUTPUT POWER	18W
PKG CURRENT	500mA
COLOR TEMPER	4000K
PRODUCT LUMINOUS FLUX @80(광속)	2286LM
PRODUCT EFFICENCY @80 (효율)	127LM
CRI (연색성)	Ra90 이상
POWER FACTOR	0.9


## DOWN LIGHT

COB  
써클 75

DOWN LIGHT




### PRODUCT INFO



써클 75  
Housing Die Casting  
Size Ø85×10W H88  
Ø85×20W H85  
Hole Ø75  
Lamp LED COB 10W, 20W  
Temp 3000K, 4000K, 5700K  
Angle 24°  
Dimming Triac, 1-10V, Dali


써클 95

DOWN LIGHT



써클 95  
Housing Die Casting  
Size Ø110×H88  
Hole Ø95  
Lamp LED COB 20W  
Temp 3000K, 4000K, 5700K  
Angle 24°  
Dimming Triac, 1-10V, Dali

## DOWN LIGHT 20W



### DOWN LIGHT

Down light direct beautiful space where you need, such as department store, coffee shop, bakery, hospital, airport, hotel and gallery. Specially, it gives luxurious effect to the detail of wonderful interior.

POWER CONSUMPTION (소비전력)	20W
INPUT VOLTAGE	AC 220V/50-60HZ
PKG VOLTAGE FORWARD	DC36V
INPUT POWER	20W
OUTPUT POWER	18.7W
PKG CURRENT	500mA
COLOR TEMPER	3000K   4000K
PRODUCT LUMINOUS FLUX @80(광속)	1757LM   1963LM
PRODUCT EFFICENCY @80 (효율)	94LM   105LM
CRI (연색성)	Ra90 이상
POWER FACTOR	0.95



LIFT DOWN LIGHT


DOWN LIGHT

COB  
리프트 80

DOWN LIGHT




PRODUCT INFO



리프트 80  
Housing Die Casting  
Size Ø90×H80  
Hole Ø80  
Lamp LED COB 10W  
Temp 3000K, 4000K, 5000K  
Dimming Triac, 1-10V, Dali


리프트 100

DOWN LIGHT



리프트 100  
Housing Die Casting  
Size Ø110×H106  
Hole Ø100  
Lamp LED COB 15W  
Temp 3000K, 4000K, 5700K  
Dimming Triac, 1-10V, Dali

DOWN LIGHT 20W



DOWN LIGHT

Down light direct beautiful space where you need, such as department store, coffee shop, bakery, hospital, airport, hotel and gallery. Specially, it gives luxurious effect to the detail of wonderful interior.

POWER CONSUMPTION (소비전력)	20W
INPUT VOLTAGE	AC 220V/50-60HZ
PKG VOLTAGE FORWARD	DC36V
INPUT POWER	20W
OUTPUT POWER	18.7W
PKG CURRENT	500 0mmA
COLOR TEMPER	3000K 4000K
PRODUCT LUMINOUS FLUX @80(광속)	1757LM 1963LM
PRODUCT EFFICIENCY @80 (효율)	94LM 105LM
CRi (연색성)	Ra90 이상
POWER FACTOR	0.95


## DOWN LIGHT

COB  
아리A

DOWN LIGHT




### PRODUCT INFO



아리A  
Housing Die Casting  
Size Ø82×H40  
Hole Ø65  
Lamp LED COB 10W  
Temp 3000K, 4000K, 5000K  
Dimming AC 디밍

아리B

DOWN LIGHT



아리B  
Housing Die Casting  
Size Ø100×H40  
Hole Ø65  
Lamp LED COB 10W  
Temp 3000K, 4000K, 5000K  
Dimming AC 디밍

### DOWN LIGHT IMAGE COLLECTION



### DOWN LIGHT

Down light direct beautiful space where you need, such as department store, coffee shop, bakery, hospital, airport, hotel and gallery. Specially, it gives luxurious effect to the detail of wonderful interior.


## DOWN LIGHT

COB  
아리C

DOWN LIGHT




### PRODUCT INFO



아리C  
Housing Die Casting  
Size Ø90×H40  
Hole Ø65  
Lamp LED COB 10W  
Temp 3000K, 4000K, 5000K  
Dimming AC 디밍

아리D

DOWN LIGHT



아리D  
Housing Die Casting  
Size Ø110×H40  
Hole Ø65  
Lamp LED COB 10W  
Temp 3000K, 4000K, 5000K  
Dimming AC 디밍

### DOWN LIGHT IMAGE COLLECTION



### DOWN LIGHT

Down light direct beautiful space where you need, such as department store, coffee shop, bakery, hospital, airport, hotel and gallery. Specially, it gives luxurious effect to the detail of wonderful interior.



## SQUARE COB DOWN LIGHT

### DOWN LIGHT

YCD\_26

스퀘어 COB 3구 DOWN LIGHT




스퀘어 COB 2구 DOWN LIGHT



스퀘어 COB 1구 DOWN LIGHT




#### PRODUCT INFO



#### 스퀘어 COB 3구

Housing	Die Casting
Size	W265×D103×H100
Hole	240×85
Lamp	LED COB 10W×3 AC 디밍 10W, 20W
Temp	3000K, 4000K, 5000K
Angle	24°
Dimming	Triac, 1-10V, Dali



#### 스퀘어 COB 2구

Housing	Die Casting
Size	W180×D103×H100
Hole	160×85
Lamp	LED COB 10W×2 AC 디밍 10W, 20W
Temp	3000K, 4000K, 5000K
Angle	24°
Dimming	Triac, 1-10V, Dali

#### 스퀘어 COB 1구

Housing	Die Casting
Size	W103×D103×H100
Hole	85×85
Lamp	LED COB 10W AC 디밍 10W, 20W
Temp	3000K, 4000K, 5000K
Angle	24°
Dimming	Triac, 1-10V, Dali


## DOWN LIGHT

COB  
MFA

MFA\_2 DOWN LIGHT




### PRODUCT INFO



MFA\_2

Housing Die Casting  
Size W265×D155×H145  
Hole 240×130  
Lamp LED COB 30W×2

MFA\_1 DOWN LIGHT



MFA\_1


Housing Die Casting  
Size W155×D155×H130  
Hole 130×130  
Lamp LED COB 30W

### DOWN LIGHT IMAGE COLLECTION



### DOWN LIGHT

Down light direct beautiful space where you need, such as department store, coffee shop, bakery, hospital, airport, hotel and gallery. Specially, it gives luxurious effect to the detail of wonderful interior.



NFA\_DOWN LIGHT IMAGE



## DOWN LIGHT

COB  
모더나

모더나 COB 3구 DOWN LIGHT




### PRODUCT INFO



모더나 COB 3구

Housing Die Casting  
Size W291×D119×H70  
Hole 280×100  
Lamp LED COB 10W×3, 20W×3  
Angle 24°  
Dimming AC 디밍 10W,1-10V, Dali


모더나 COB 3구 DOWN LIGHT



모더나 COB 2구

Housing Die Casting  
Size W204×D119×H70  
Hole 190×100  
Lamp LED COB 10W×2, 20W×2  
Angle 24°  
Dimming AC 디밍 10W,1-10V, Dali

모더나 COB 1구 DOWN LIGHT



모더나 COB 1구

Housing Die Casting  
Size W119×D119×H70 10W  
W119×D119×H100 20W  
Hole 100×100  
Lamp LED COB 10W, 20W  
Angle 24°  
Dimming AC 디밍 10W,1-10V, Dali


## DOWN LIGHT

COB  
모더나 직부

모더나 3등 직부




### PRODUCT INFO



모더나 3등 직부

Housing Die Casting  
Size W291×D101×H100  
Lamp LED COB 8W×3  
Angle 24°


모더나 2등 직부



모더나 2등 직부

Housing Die Casting  
Size W196×D101×H100  
Lamp LED COB 8W×2  
Angle 24°

모더나 1등 직부



모더나 1등 직부

Housing Die Casting  
Size W101×D101×H100  
Lamp LED COB 8W  
Angle 24°



## DOWN LIGHT

COB  
스툼 사각 75

DOWN LIGHT




### PRODUCT INFO



스툼 사각 75  
Housing Die Casting  
Size Ø85×H60  
Hole Ø75  
Lamp LED COB 10W  
Temp 3000K, 4000K  
Angle 24°  
Dimming Triac, 1-10V, Dali

## 스툼 사각 95

DOWN LIGHT



스툼 사각 95  
Housing Die Casting  
Size Ø105×H65  
Hole Ø95  
Lamp LED COB 15W  
Temp 3000K, 4000K  
Angle 24°  
Dimming Triac, 1-10V, Dali


## DOWN LIGHT

COB  
슈가 75

슈가 75 DOWN LIGHT




### PRODUCT INFO



슈가 75  
Housing Die Casting  
Size W86×D86×H100  
Hole 75×75  
Lamp LED COB 15W  
Temp 3000K, 4000K  
Angle 24°  
Dimming Triac, 1-10V, Dali


## 샤프 90

DOWN LIGHT



샤프 90  
Housing Die Casting  
Size W103×D103×H120  
Hole 90×90  
Lamp LED COB 15W  
Temp 3000K, 4000K  
Angle 24°  
Dimming Triac, 1-10V, Dali

## DOWN LIGHT 10W




POWER CONSUMPTION (소비전력)	10W	
INPUT VOLTAGE	AC 220V/50-60HZ	
PKG VOLTAGE FORWARD	DC36V	
INPUT POWER	10W	
OUTPUT POWER	9.5W	
PKG CURRENT	250mA	
COLOR TEMPER	3000K	4000K
PRODUCT LUMINOUS FLUX @80(광속)	836LM	874LM
PRODUCT EFFICIENCY @80 (효율)	88LM	92LM
CRI (연색성)	Ra90 이상	
POWER FACTOR	0.95	

### DOWN LIGHT

Down light direct beautiful space where you need, such as department store, coffee shop, bakery, hospital, airport, hotel and gallery. Specially, it gives luxurious effect to the detail of wonderful interior.

## DOWN LIGHT 15W



POWER CONSUMPTION (소비전력)	15W	
INPUT VOLTAGE	AC 220V/50-60HZ	
PKG VOLTAGE FORWARD	DC36V	
INPUT POWER	15W	
OUTPUT POWER	14W	
PKG CURRENT	350mA	
COLOR TEMPER	3000K	4000K
PRODUCT LUMINOUS FLUX @80(광속)	1036LM	1274LM
PRODUCT EFFICIENCY @80 (효율)	88LM	92LM
CRI (연색성)	Ra90 이상	
POWER FACTOR	0.95	

### DOWN LIGHT

Down light direct beautiful space where you need, such as department store, coffee shop, bakery, hospital, airport, hotel and gallery. Specially, it gives luxurious effect to the detail of wonderful interior.



## CEILING LIGHT

COB  
원통 190

CEILING LIGHT



### PRODUCT INFO



#### 원통 190 COB 직부

Housing AL-Die Casting  
Size Ø195×H195  
Lamp LED COB 50W  
Angle 45°  
Dimming Triac, 1-10V, Dali


## CEILING LIGHT

COB  
원통 130

CEILING LIGHT



### PRODUCT INFO




#### 원통 130 COB 직부

Housing AL-Die Casting  
Size Ø130×H155  
Lamp LED COB 30W  
Angle 45°  
Dimming Triac, 1-10V, Dali

원통 170

CEILING LIGHT




#### 원통 170 COB 직부

Housing AL-Die Casting  
Size Ø170×H183  
Lamp LED COB 40W  
Angle 45°  
Dimming Triac, 1-10V, Dali

원통 110


CEILING LIGHT



#### 원통 110 COB 직부

Housing AL-Die Casting  
Size Ø110×H123  
Lamp LED COB 10W, 20W  
Angle 45°  
Dimming Triac, 1-10V, Dali

## CEILING LIGHT 40W




POWER CONSUMPTION (소비전력)	40W	
INPUT VOLTAGE	AC 220V/50-60HZ	
PKG VOLTAGE FORWARD	DC36V	
INPUT POWER	40W	
OUTPUT POWER	38W	
PKG CURRENT	1050mA	
COLOR TEMPER	3000K	4000K
PRODUCT LUMINOUS FLUX @80(광속)	3344LM	3986LM
PRODUCT EFFICIENCY @80 (효율)	88LM	104.9LM
CRI (연색성)	Ra90 이상	
POWER FACTOR	0.95	

### DOWN LIGHT

Down light direct beautiful space where you need, such as department store, coffee shop, bakery, hospital, airport, hotel and gallery. Specially, it gives luxurious effect to the detail of wonderful interior.

## CEILING LIGHT 30W



POWER CONSUMPTION (소비전력)	30W	
INPUT VOLTAGE	AC 220V/50-60HZ	
PKG VOLTAGE FORWARD	DC36V	
INPUT POWER	30W	
OUTPUT POWER	28W	
PKG CURRENT	700mA	
COLOR TEMPER	3000K	4000K
PRODUCT LUMINOUS FLUX @80(광속)	2408LM	2808LM
PRODUCT EFFICIENCY @80 (효율)	88LM	100.3LM
CRI (연색성)	Ra90 이상	
POWER FACTOR	0.95	


### DOWN LIGHT

Down light direct beautiful space where you need, such as department store, coffee shop, bakery, hospital, airport, hotel and gallery. Specially, it gives luxurious effect to the detail of wonderful interior.

## SPOT LIGHT

### COB SEINE 110

세느 110 SPOT LIGHT




세느 110

Housing Die Casting  
Size  $\varnothing 86 \times H72$  (원통길이 50)  
Hole  $\varnothing 75$   
Lamp LED COB 10W  
Temp 3000K, 4000K  
Angle  $24^\circ$   
Dimming Triac, 1-10V, Dali

### SEINE 300

세느 300 SPOT LIGHT



세느 300


Housing Die Casting  
Size  $\varnothing 86 \times H72$  (원통길이 255)  
Hole  $\varnothing 75$   
Lamp LED COB 10W  
Temp 3000K  
Angle  $24^\circ$   
Dimming Triac, 1-10V, Dali

#### PRODUCT INFO



### SEINE 600

세느 600 SPOT LIGHT



세느 600

Housing Die Casting  
Size  $\varnothing 86 \times H72$  (원통길이 555)  
Hole  $\varnothing 75$   
Lamp LED COB 10W  
Temp 3000K  
Angle  $24^\circ$   
Dimming Triac, 1-10V, Dali

## SEINE 300 SPOT

The interior is composed of various designs.  
It is composed of products suitable for various places such as wall lighting, living room lighting, outdoor lighting, etc.  
It is an opportunity to meet the lighting suitable for the space production.



세느 300 SPOT LIGHT



세느 600 SPOT LIGHT




SEINE  
세느 110 SPOT LIGHT

## SPOT LIGHT

COB SPOT  
SEINE 125




### PRODUCT INFO



#### 세느125 5W

Housing Aluminium  
Size  $\varnothing 40 \times H125 (209)$   
Pipe 기본/150/300mm  
Lamp LED COB 5W  
Temp 3000K  
Angle 24°

SEINE 160



#### 세느160 5W


Housing Aluminium  
Size  $\varnothing 30 \times H160 (244)$   
Pipe 기본/150/300mm  
Lamp LED COB 5W  
Temp 3000K  
Angle 24°

## SPOT LIGHT

COB  
SEINE 200



### PRODUCT INFO



#### 세느200 5W

Housing Aluminium  
Size  $\varnothing 40 \times H200 (262)$   
Pipe 기본/150/300mm  
Lamp LED COB 10W  
Angle 24°





## SEINE 200 SPOT



The interior is composed of various designs.  
It is composed of products suitable for various places such as wall lighting, living room lighting, outdoor lighting, etc.  
It is an opportunity to meet the lighting suitable for the space production.

# SPOT LIGHT

COB SPOT  
SEINE 300



## PRODUCT INFO



### 세느 300 5W

Housing Aluminium  
Size Ø30×H300(384)  
Pipe 기본/150/300mm  
Lamp LED COB 5W  
Temp 3000K  
Angle 24°



## SEINE 300 SPOT

The interior is composed of various designs.  
It is composed of products suitable for various places such as wall lighting, living room lighting, outdoor lighting, etc.  
It is an opportunity to meet the lighting suitable for the space production.

## SPOT LIGHT

COB PENDANT  
SEINE 300\_10W/5W

### PRODUCT INFO



세느300 10W P/D  
Housing Aluminum  
Size Ø50×H300  
Lamp LED COB 10W  
Color 화이트, 블랙, 신주사틴  
Angle 24°  
Dimming Triac

세느300 5W P/D  
Housing Aluminum  
Size Ø50×H300  
Lamp LED COB 5W  
Color 화이트, 블랙, 신주사틴  
Angle 24°

## SPOT LIGHT

COB PENDANT  
SEINE 500\_10W/5W

### PRODUCT INFO



세느500 10W P/D  
Housing Aluminum  
Size Ø50×H500  
Lamp LED COB 10W  
Color 화이트, 블랙, 신주사틴  
Angle 24°  
Dimming Triac

세느500 5W P/D  
Housing Aluminum  
Size Ø30×H500  
Lamp LED COB 5W  
Color 화이트, 블랙, 신주사틴  
Angle 24°

## SPOT LIGHT

COB SPOT  
PIE SPOT



### PRODUCT INFO



#### 파이 SPOT

Size Ø100×H200  
Lamp AC LED COB 5W  
Temp 3000K, 4000K, 5000K  
Dimming AC 디밍

## PIE DOWN LIGHT



#### 파이 다운라이트

Size Ø100×H100  
Hole Ø30  
Lamp AC LED COB 5W  
Temp 3000K, 4000K, 5000K  
Dimming AC 디밍



SPOT &  
DOWN  
LIGHT

PIE

The interior is composed of various designs.  
It is composed of products suitable for various places such as wall lighting, living room lighting, outdoor lighting, etc.  
It is an opportunity to meet the lighting suitable for the space production.



# FARO

파 로 라 이 팅

SPOT · DOWN LIGHT · PENDANT · OUTDOOR LIGHT



본 카탈로그의 내용을 사전승인 없이 무단 전재 및 재배포 경우  
관련 법령에 의거 제재를 받을수 있습니다.