

MAGNETIC SYSTEM LIGHT

MG_2001 LIGHT IMAGE COLLECTION

LIGHTING NEWS

2권

다양한 스포트라이트

216



MG-2001 18W

MG-2001 12W

MG-2001 6W

소비전력	6W	12W	18W	24W	30W
사이즈	113X23X44	220X23X44	328X23X44	434X23X44	543X23X44
CCT	3K, 4K				
COLOR	WH,BK	WH,BK	WH,BK	BK	BK
CRI	90				
POWER	DC 36V				
DIM	0-10V				
삼색변환	2700-6000K				

MG_2002

MAGNET SYSTEM 6W, 12W

Spot light direct beautiful space where you need, such as department store, coffee shop, bakery, hospital, airport, hotel and gallery. Specially, it gives luxurious effect to the detail of wonderful interior.



MG 2002_6W

MG 2002_12W



직부형




매입형

MG 2002	소비전력	SIZE	CCT	COLOR	POWER	CRI	DIMMING	삼색변환
	10W	110 X 23 X 83	3K,4K	WH,BK	DC36V	90		
	20W	219 X 23 X 83	3K,4K	WH,BK	DC36V	90		

MG_2003

MAGNET SYSTEM 10W, 20W, 30W

Spot light direct beautiful space where you need, such as department store, coffee shop, bakery, hospital, airport, hotel and gallery. Specially, it gives luxurious effect to the detail of wonderful interior.




소비전력	10W	20W	30W	40W
사이즈	303X23X44	603X23X44	903X23X44	1203X23X44
CCT	3K,4K	3K,4K	3K,4K	3K,4K
COLOR	WH,BK	WH,BK	WH,BK	BK
CRI	90			
POWER	DC 36V			
DIM	0-10V			
삼색변환	2700-6000K			

MAGNETIC SYSTEM LIGHT

MG_2004

MAGNET SYSTEM 10W, 20W, 30W

Spot light direct beautiful space where you need, such as department store, coffee shop, bakery, hospital, airport, hotel and gallery. Specially, it gives luxurious effect to the detail of wonderful interior.



MG 2004	소비전력	SIZE	CCT	COLOR	POWER	CRI	DIMMING	삼색변환
	10W	Ø48 X 105 (170)	3K,4K	WH,BK	DC36V	90	0-10V	2700K-6000K
	20W	Ø58 X 155 (220)					0-10V	2700K-6000K
	30W	Ø68 X 155 (221)						

MG 2004 - 세스125



MG 2004 - 세스160



MG 2004 - 세스200



MG 2004 - 세스300







MG 2004	소비전력	SIZE	CCT	COLOR	POWER	CRI
	세스125-5W	Ø40 X 125 (209)	3K	WH,BK,GD	DC36V	90
	세스160-5W	Ø30 X 160 (244)				
	세스200-10W	Ø40 X 200 (282)				
세스300-5W	Ø30 X 300 (384)					

MG_2005

MAGNET SYSTEM 6W

Spot light direct beautiful space where you need, such as department store, coffee shop, bakery, hospital, airport, hotel and gallery. Specially, it gives luxurious effect to the detail of wonderful interior.

MG 2005 - A	
POWER	5W
SIZE	70Ø



LIGHTING NEWS

2권

다양한 조명

217

MAGNETIC SYSTEM LIGHT

MG_2005

MAGNET SYSTEM 6W

Spot light direct beautiful space where you need, such as department store, coffee shop, bakery, hospital, airport, hotel and gallery. Specially, it gives luxurious effect to the detail of wonderful interior.

LIGHTING NEWS

2권

다양한 스타일 218



MG-2005-6W

세스300

세스500-5W

세스500-10W

MG 2005				
소비전력	6W	세스300-5W	세스500-5W	세스500-10W
SIZE	Ø30 X 300	Ø30 X 300	Ø30 X 500	Ø50 X 500
CCT	3K,4K	3K		
COLOR	BK	WH,BK,GD		
POWER	DC 36V			
CRI	90			

MG_2006

MAGNET SYSTEM 10W, 20W

Spot light direct beautiful space where you need, such as department store, coffee shop, bakery, hospital, airport, hotel and gallery. Specially, it gives luxurious effect to the detail of wonderful interior.



MG 2006_10W

MG 2006_20W

MG 2006	소비전력	SIZE	CCT	COLOR	POWER	CRI
	10W	300 X 32 X 90	3K,4K	BK	DC36V	90
	20W	602 X 32 X 90	3K,4K	BK	DC36V	90

MG_2007

옥타곤 10W, 20W, 30W

Spot light direct beautiful space where you need, such as department store, coffee shop, bakery, hospital, airport, hotel and gallery. Specially, it gives luxurious effect to the detail of wonderful interior.

옥타곤 의장등록 출원



옥타곤 10W
LAMP LED 10W
CCT 2700K~6500K
SIZE 55Ø X H120
COLOR WH , BK

옥타곤 20W
LAMP LED 20W
CCT 2700K~6500K
SIZE 55Ø X H150
COLOR WH , BK

옥타곤 30W
LAMP LED 30W
CCT 2700K~6500K
SIZE 70Ø X H160
COLOR WH , BK

MG_2008

MAGNET SYSTEM 6W, 12W, 18W

Spot light direct beautiful space where you need, such as department store, coffee shop, bakery, hospital, airport, hotel and gallery. Specially, it gives luxurious effect to the detail of wonderful interior.



MG 2008	소비전력	SIZE	CCT	COLOR	POWER	CRI
	6W	124 X 34 X 72	3K,4K	BK	DC36V	90
	12W	232 X 34 X 72				
	18W	340 X 34 X 72				




MAGNETIC SYSTEM LIGHT

MG_2009



LAMP : LED 2WX5
 CCT : 3000K, 4000K (WH, BK)
 SIZE : 138X34.5XH55
 BEAM ANGLE : 24°

LAMP : LED 2WX10
 CCT : 3000K, 4000K (WH, BK)
 SIZE : 270X34.5XH55
 BEAM ANGLE : 24°



1. 직부용 트랙(S-20)

직부,매입,펜던트사용
 사이즈 - W27.5 X H52
 타공 - 30mm
 천정안 높이52mm 이상사용가능
 직렬로 최대 10m이내로 사용권장
 외장컨버터연결시 트랙과의거리 5m이내설치

2.매입용 트랙 A형(R-20 A)

매입전용
 사이즈 - W63 XH46
 타공 - 34mm
 천정안 높이 43mm이상 사용가능

3.매입용 트랙 B형(R-20 B)

매입전용
 사이즈 - W62 X H46
 타공 - 34 mm
 천정안 높이 32mm이상사용가능

마그네틱레일 부속

전원연결



전원연결

일자연결



일자레일연결

일자전원연결


ㄱ자연결



직부용

매입용

ㄱ자 전원연결




T자 전원연결

내장형 트랙컨버터



외장형 컨버터(방수형)



100W	199*63*36	KC인증
150W	219*63*36	KC인증
240W	244*71*38	KC인증
320W	252*90*44	KC인증

LINIAL SPOT LIGHT

LIGHTING NEWS
2권
다문화
2020



리니얼 A형 5등 레일/직부
 LAMP : LED 2WX5
 CCT : 3000K, 4000K (WH, BK)
 SIZE : 138X34.5XH55
 BEAM ANGLE : 24°



리니얼 A형 10등 레일/직부
 LAMP : LED 2WX10
 CCT : 3000K, 4000K (WH, BK)
 SIZE : 270X34.5XH55
 BEAM ANGLE : 24°



리니얼 B형 3등 레일/직부
 LAMP LED 4WX3
 CCT 3000K, 4000K, 5700K
 SIZE 42X126 H96
 BEAM ANGLE 24°



리니얼 B형 5등 레일/직부
 LAMP LED 4WX5
 CCT 3000K, 4000K, 5700K
 SIZE 42X202 H96
 BEAM ANGLE 24°







Bread

Vegetable

Fish

Meat



베이커리 Food lighting
LED 20W / 30W, 2400K

LENS SPOT LIGHT

포커싱 New FOCUSING SPOT LIGHT




포커싱 30W

LAMP 30W
CCT 3000K, 4000K, 5000K
SIZE 80Ø X H276 (345)
BEAM ANGLE 15-20°
OPTION ON/OFF, TRIAC, 1-10V
DALI / 2P, 4P
WHITE / BLACK



포커싱 10W

LAMP AC 5W, 10W
CCT 3000K, 4000K, 5000K
SIZE 60Ø X H185 (246)
BEAM ANGLE 15-20°
OPTION ON/OFF, TRIAC, 1-10V
DALI / 2P, 4P



FOCUS SPOT LIGHT | LENS COB SPOT



포커스 10W

LAMP : LED 5W, 10W
CCT : 3000K, 4000K, 5000K
SIZE : 60Ø X H183 (250)
BEAM ANGLE : 15-20°
OPTION : ON/OFF, TRIAC, 1-10V,
DALI / 2P, 4P





포커스 COB SPOT

- A/C 디밍기능 제품 (조광기 조절)
- 조명 반사면 4단 조절 가능
- 조광기 1개당 10~15ea 조광가능



포커스 30W

LAMP AC 20W, 30W
CCT 3000K, 4000K, 5000K
SIZE 80Ø X H202 (276)
BEAM ANGLE 15-20°
OPTION ON/OFF, TRIAC, 1-10V,
DALI / 2P, 4P



반사각도 조절 SPOT LIGHT

LIGHTING NEWS
2권
다들·스플
222




			
FAS_009			
LAMP LED 10W	LAMP LED 15W	LAMP LED 20W	LAMP LED 30W
CCT 3000K, 4000K, 5000K	CCT 3000K, 4000K, 5000K	CCT 3000K, 4000K, 5000K	CCT 3000K, 4000K, 5000K
SIZE 55Ø X 140(208)	SIZE 65Ø X 147(211)	SIZE 75Ø X 159(217)	SIZE 85Ø X 167(217)
BEAM ANGLE : 20-50°	BEAM ANGLE : 20-50°	BEAM ANGLE : 20-50°	BEAM ANGLE : 20-50°
OPTION : TRIAC	OPTION : TRIAC	OPTION : TRIAC	OPTION : TRIAC



FAS_006(A)
LAMP LED 15W
CCT 3000K
SIZE 57Ø X H154(207)
BEAM ANGLE 15-60°




FAS_006(B)
LAMP LED 30W
CCT 3000K
SIZE 88Ø X H203
BEAM ANGLE 15-60°



FAS_008

LAMP AC 5W, 10W	LAMP AC 15W	LAMP AC 20W
CCT 3000K, 4000K, 5000K	CCT 3000K, 4000K, 5000K	CCT 3000K, 4000K, 5000K
SIZE 55X115(133) / 180	SIZE 65X145 (165) / 210	SIZE 75X148 (170) / 230
BEAM ANGLE 15-60°	BEAM ANGLE 15-60°	BEAM ANGLE 15-60°
OPTION ON/OFF, TRIAC	OPTION ON/OFF, TRIAC	OPTION ON/OFF, TRIAC



옥타곤 SPOT LIGHT

옥타곤 의장등록 출원



옥타곤 SPOT

LAMP AC 10W
CCT 3000K, 4000K, 5000K
SIZE 55Ø X H120 (178)
BEAM ANGLE 24°, 40°
OPTION ON/OFF, TRIAC, 1-10V
DALI / 2P, 4P, WHITE / BLACK

LAMP AC 20W
CCT 3000K, 4000K, 5000K
SIZE 55Ø X H150 (205)
BEAM ANGLE 24°, 40°
OPTION ON/OFF, TRIAC, 1-10V
DALI / 2P, 4P, WHITE / BLACK

LAMP AC 30W
CCT 3000K, 4000K, 5000K
SIZE 70Ø X H160 (215)
BEAM ANGLE 24°, 40°
OPTION ON/OFF, TRIAC, 1-10V
DALI / 2P, 4P, WHITE / BLACK

LAMP 40W
CCT 3000K, 4000K, 5000K
SIZE 70Ø X H185 (257)
BEAM ANGLE 24°, 40°
OPTION ON/OFF, TRIAC, 1-10V
DALI / 2P, 4P, WHITE / BLACK



FAS_010

LAMP AC 10W
CCT 3000K, 4000K, 5000K
SIZE 60Ø X 67 (102)
BEAM ANGLE : 24°, 36°, 50°
OPTION TRIAC

LAMP AC 15W
CCT 3000K, 4000K, 5000K
SIZE 73Ø X 78 (117)
BEAM ANGLE : 24°, 36°, 50°
OPTION TRIAC

LAMP AC 20W
CCT 3000K, 4000K, 5000K
SIZE 88Ø X H88 (131)
BEAM ANGLE : 24°, 36°, 50°
OPTION TRIAC



FAS_011

LAMP AC 10W, 15W
CCT 3000K, 4000K, 5000K
SIZE 55Ø X 140 (205)
BEAM ANGLE : 24°, 36°, 50°
OPTION TRIAC

LAMP AC 20W
CCT 3000K, 4000K, 5000K
SIZE 75Ø X 156 (215)
BEAM ANGLE : 24°, 36°, 50°
OPTION TRIAC

LAMP AC 30W
CCT 3000K, 4000K, 5000K
SIZE 85Ø X 167 (226)
BEAM ANGLE : 24°, 36°, 50°
OPTION TRIAC

SPOT LIGHT



FAS-012

LAMP LED 10W, 15W
CCT 3000K, 4000K, 5000K
SIZE 55Ø X 140 (190)
BEAM ANGLE : 24°, 36°, 50°



FAS-012

LAMP LED 20W
CCT 3000K, 4000K, 5000K
SIZE 75Ø X 156 (210)
BEAM ANGLE : 24°, 36°, 50°



FAS-012

LAMP LED 30W
CCT 3000K, 4000K, 5000K
SIZE 85Ø X 167 (226)
BEAM ANGLE : 24°, 36°, 50°



FAS-007_A형

LAMP AC 5W, 10W, 15W
SIZE 64Ø X H140(200)



FAS-007_A형

LAMP AC 20W
SIZE 75Ø X H160(220)



FAS-007_A형

LAMP AC 30W
SIZE 80Ø X H175(235)



FAS-007_A형

LAMP AC 40W
SIZE 90Ø X H185



보급형 SPOT (SR산전 조광기 사용)

LAMP AC 10W
SIZE 55Ø X H125



롱 COB_A형

LAMP AC 5W,10W
SIZE 48Ø X H140(190)



롱 COB_A형

LAMP AC 20W
SIZE 64Ø X H130



롱 COB_A형

LAMP AC 30W
SIZE 64Ø X H185



투투_SPOT

LAMP AC 5W,10W
SIZE 65Ø X H133(190)



원원 54A

LAMP AC 5W,10W
SIZE 54Ø X H86



롱원52 SPOT

LAMP AC 5W,10W
SIZE 52Ø X H120



투비 SPOT

LAMP AC 10W,15W
SIZE 62Ø X H140(207)



투유 SPOT

LAMP LED 10W
SIZE 63Ø X H142



FAS-004 SPOT

LAMP LED 15W
SIZE 69Ø X H183



FAS 007 B형

LAMP LED 40W
SIZE 90Ø X H180 (217)




FAS 007 B형


LAMP LED 50W
SIZE 80Ø X H200 (275)

세느 SPOT


COB SPOT SEINE 125



COB SPOT SEINE 160



COB SPOT SEINE 200



COB SPOT SEINE 300



룡 COB B형 (리모컨 사용 - 색상변환, 디밍)

LAMP LED 30W
 SIZE 64Ø X H180



피스톤

LAMP LED 30W,40W
 SIZE 96Ø X H130






쥬피터

LAMP LED 30W, 40W
 SIZE 100Ø X H130 (175)



도미노

LAMP LED 30W, 40W
 SIZE 95Ø X H138 (190)



DOWN LIGHT

LIGHTING NEWS
2권
다들 스포일러
226



투링 55
LAMP 10W,15W,20W
SIZE 63X H93/130
CUT SIZE 55
BEAM ANGLE 24°, 36°, 50°



스카이 70
LAMP 10W,15W,20W
SIZE 88X H95/133
CUT SIZE 70
BEAM ANGLE 24°, 36°, 50°



스카이 60-A형
LAMP 10W,15W,20W
SIZE 68 X H 95/133
CUT SIZE 60
BEAM ANGLE 24°,36°,50°



스카이 60-B형
LAMP 10W,15W,20W
SIZE 68 X H95/133
CUT SIZE 60
BEAM ANGLE 24°, 36°, 50°



스카이 60-C형
LAMP 10W,15W,20W
SIZE 68 X H95/133
CUT SIZE 60
BEAM ANGLE 24°, 36°, 50°



스카이 60-D형
LAMP 10W,15W,20W
SIZE 68 X H95/133
CUT SIZE 60
BEAM ANGLE 24°, 36°, 50°



스카이 60-E형
LAMP 10W,15W,20W
SIZE 68 X H95/133
CUT SIZE 60
BEAM ANGLE 24°, 36°, 50°



스카이 65-A형
LAMP 10W,15W,20W
SIZE 79 X H104/143
CUT SIZE 65
BEAM ANGLE 24°, 36°, 50°



스카이 65-B형
LAMP 10W,15W,20W
SIZE 79 X H104/143
CUT SIZE 65
BEAM ANGLE 24°, 36°, 50°



스카이 65-C형
LAMP 10W,15W,20W
SIZE 79 X H104/143
CUT SIZE 65
BEAM ANGLE 24°, 36°, 50°



슬랜더 (삼색변환디밍)
LAMP 12W
SIZE 82X H75
CUT SIZE 75
BEAM ANGLE 24°, 36°



미니회전75
LAMP 10W,15W,18W(고효율 10W/3000K, 4000K)
SIZE 86X78/110
CUT SIZE 75
BEAM ANGLE 24°,60°



미니회전95
LAMP 20W
SIZE 108X115
CUT SIZE 75
BEAM ANGLE 24°, 60°



직회전매입 75
LAMP 20W
SIZE 90XH110
CUT SIZE 75
BEAM ANGLE 24°, 36°, 60°



셔플 75 (삼색변환디밍)
LAMP 15W
SIZE 84X93
CUT SIZE 75
BEAM ANGLE 24°, 36°

DOWN LIGHT



트림리스

LAMP 10W, 20W
SIZE 108X128
CUT SIZE 75
BEAM ANGLE 36°



트림리스 1등

LAMP 10W, 20W
SIZE 74X74X125
CUT SIZE 80X80
BEAM ANGLE 36°



트림리스 2등

LAMP 10W, 20W
SIZE 148X74X125
CUT SIZE 150X80
BEAM ANGLE 36°



탐슨30

LAMP 5W
SIZE 34x80
CUT SIZE 30mm
BEAM ANGLE 24°



탐슨회전40

LAMP 10W
SIZE 44x90
CUT SIZE 40mm
BEAM ANGLE 24°



탐슨40

LAMP 10W
SIZE 44x90
CUT SIZE 40mm
BEAM ANGLE 24°



탐슨45

LAMP 10W
SIZE 50x100
CUT SIZE 45mm
BEAM ANGLE 24°



민자반사50

LAMP 8W
SIZE 58x110
CUT SIZE 50mm
BEAM ANGLE 24°



투링 50

LAMP 7W
SIZE 50x60
CUT SIZE 40mm
BEAM ANGLE 24°



직다운32

LAMP 3W
SIZE 32x49
CUT SIZE 25mm
BEAM ANGLE 24°



직다운-T40

LAMP 5W
SIZE 40x57
CUT SIZE 35mm
BEAM ANGLE 24°



직다운40

LAMP 5W
SIZE 40x57
CUT SIZE 35mm
BEAM ANGLE 24°



직다운50

LAMP 7W
SIZE 50x70
CUT SIZE 40mm
BEAM ANGLE 24°



인피니티55 (직.월)

LAMP 6W
SIZE 68x75
CUT SIZE 55
BEAM ANGLE 36°



인피니티65

LAMP 10W, 15W
SIZE 72x75
CUT SIZE 65
BEAM ANGLE 36°



인피니티75 (직.월)

LAMP 15W, 18W
SIZE 85x105
CUT SIZE 75
BEAM ANGLE 36°



인피니티 95 (직.월)

LAMP 20W, 25W
SIZE 110x135
CUT SIZE 95
BEAM ANGLE 36°



인피니티 95-A

LAMP 30W
SIZE 105x125
CUT SIZE 95
BEAM ANGLE 36°

LIGHTING NEWS

2권

달빛 조명 227

DOWN LIGHT

LIGHTING NEWS

2권

다양한 스타일

228



폰드55
LAMP 6W
SIZE 65x40
CUT SIZE 55
BEAM ANGLE 36°



폰드75
LAMP 12W
SIZE 90x53
CUT SIZE 75
BEAM ANGLE 36°



폰드100
LAMP 18W
SIZE 115x66
CUT SIZE 100
BEAM ANGLE 36°



폰드120
LAMP 28W
SIZE 140x75
CUT SIZE 120
BEAM ANGLE 36°



폰드150
LAMP 38W
SIZE 183x94
CUT SIZE 150
BEAM ANGLE 36°



샤벳75
LAMP 15W, 20W (고효율 15W/4000K)
SIZE 86x H92/130
CUT SIZE 75
BEAM ANGLE 24°, 36°, 60°



오브제75
LAMP 10W, 20W
SIZE 85X H77/110
CUT SIZE 75
BEAM ANGLE 24°



오브제95
LAMP 15W, 20W
SIZE 105XH109
CUT SIZE 95
BEAM ANGLE 24°



포켓43
LAMP 6W
SIZE 50x90
CUT SIZE 43
BEAM ANGLE 24°



나팔COB 70
LAMP 10W, 15W, 20W
SIZE 85XH85/130
CUT SIZE 70
BEAM ANGLE 24°, 36°, 60°



나팔COB 95
LAMP 20W, 30W
SIZE 95X110
CUT SIZE 75
BEAM ANGLE 24°, 36°



커브 75
LAMP 10W
SIZE 90X50
CUT SIZE 75
BEAM ANGLE



커브 100
LAMP 15W
SIZE 120X67
CUT SIZE 100
BEAM ANGLE



스통원형75
LAMP 10W
SIZE 86X65
CUT SIZE 75
BEAM ANGLE 24°



스통원형 95
LAMP 15W
SIZE 105X65
CUT SIZE 95
BEAM ANGLE 24°



서클 75
LAMP 10W, 20W
SIZE 85X88
CUT SIZE 75
BEAM ANGLE 24°



서클 95
LAMP 20W
SIZE 110X88
CUT SIZE 95
BEAM ANGLE 24°



블랙 & 화이트 68
LAMP 12W
SIZE 74x68
CUT SIZE 68
BEAM ANGLE 24°

DOWN LIGHT



리프트80

LAMP 10W
SIZE 90x80
CUT SIZE 80
BEAM ANGLE 24°



리프트100

LAMP 15W
SIZE 110x106
CUT SIZE 100
BEAM ANGLE 24°



FAD 002

LAMP 10W
SIZE 100X95
CUT SIZE 85
BEAM ANGLE 24°



미띠회전90

LAMP 4W~30W
SIZE 90X105/130
CUT SIZE 75
BEAM ANGLE 24°, 36°



리볼버75

LAMP 10W
SIZE 95x99
CUT SIZE 75
BEAM ANGLE 15°~60°



방습75

LAMP 10W
SIZE 95X45
CUT SIZE 75
BEAM ANGLE



방습95

LAMP 15W
SIZE 115X45
CUT SIZE 95
BEAM ANGLE



라운드회전90

LAMP 4W~30W
SIZE 90X100/130
CUT SIZE 75
BEAM ANGLE 24°, 36°



로이 직매입 70

LAMP 6W-15W
SIZE 70
CUT SIZE 55
BEAM ANGLE 24°



FAD 004-월워셔

LAMP 10W
SIZE 83X109
CUT SIZE 75
BEAM ANGLE 24°



월워셔90

LAMP 10W, 20W
SIZE 90X80
CUT SIZE 80
BEAM ANGLE 24°



월워셔110

LAMP 20W
SIZE 110X95
CUT SIZE 100
BEAM ANGLE 24°



로이 직매입 90

LAMP 20W
SIZE 90
CUT SIZE 75
BEAM ANGLE 24°



직.월워셔 매입70

LAMP 6W-15W
SIZE 70
CUT SIZE 55
BEAM ANGLE 24°



직.월워셔 매입 90

LAMP 20W
SIZE 90
CUT SIZE 75
BEAM ANGLE 24°



직.월워셔 매입 110

LAMP 20W, 30W
SIZE 110
CUT SIZE 100
BEAM ANGLE 24°

DOWN LIGHT



세느110

LAMP 10W
 SIZE 86x72(50)
 CUT SIZE 75
 BEAM ANGLE 24°



직매입85

LAMP 10W(4K)
 SIZE 100X68
 CUT SIZE 85




계단 75

LAMP 10W
 SIZE 98X44
 CUT SIZE 75
 BEAM ANGLE 40°



투라인75

LAMP 15W
 SIZE 86X104
 CUT SIZE 75
 BEAM ANGLE 24°



버티컬75

LAMP 10W
 SIZE 90X54
 CUT SIZE 75
 BEAM ANGLE



세느300

LAMP 10W
 SIZE 86x72(255)
 CUT SIZE 75
 BEAM ANGLE 24°



블랙니켈 (방습매입)

LAMP 10W
 SIZE 90X54
 CUT SIZE 75
 BEAM ANGLE 24°




아리 A

LAMP AC 10W
 SIZE 82X40
 CUT SIZE 65



아리 B

LAMP AC 10W
 SIZE 100X40
 CUT SIZE 65



세느600

LAMP 10W
 SIZE 86x72(555)
 CUT SIZE 75
 BEAM ANGLE 24°



루바사각회전110

LAMP 20W
 SIZE 110X110X100
 CUT SIZE 95X95
 BEAM ANGLE 24°,36°



아리 C

LAMP AC 10W
 SIZE 90X40
 CUT SIZE 65



아리 D

LAMP AC 10W
 SIZE 110X40
 CUT SIZE 65



슈가75

LAMP 15W,20W
 SIZE 86X86XH100/130
 CUT SIZE 75X75
 BEAM ANGLE 24°



샤프90

LAMP 15W
 SIZE 103X103X120
 CUT SIZE 90X90
 BEAM ANGLE 24°



스툼사각75

LAMP 10W
 SIZE 85X60
 CUT SIZE 75
 BEAM ANGLE 24°



스툼사각95

LAMP 15W
 SIZE 105X65
 CUT SIZE 95
 BEAM ANGLE 24°

DOWN LIGHT



테네시110

LAMP 20W, 30W
SIZE 110X110
CUT SIZE 100
BEAM ANGLE 15°, 24°, 36°



롱직매입110

LAMP 20W, 30W
SIZE 110X100
CUT SIZE 95
BEAM ANGLE 24°, 36°



직매입110

LAMP 20W, 30W
SIZE 110X90
CUT SIZE 95
BEAM ANGLE 45°



라운드 직매입110

LAMP 20W, 30W
SIZE 110X85
CUT SIZE 95
BEAM ANGLE 15°, 24°, 36°



미디회전매입 110

LAMP 20W, 30W
SIZE 110X120
CUT SIZE 95
BEAM ANGLE 24°, 36°



테네시120

LAMP 20W, 30W
SIZE 120X127
CUT SIZE 110
BEAM ANGLE 15°, 24°, 36°



미디회전 120

LAMP 20W, 30W
SIZE 120X110
CUT SIZE 100
BEAM ANGLE 15°, 24°, 36°



회전매입 120

LAMP 20W, 30W
SIZE 120X130
CUT SIZE 105
BEAM ANGLE 15°, 24°, 36°



미디직매입 120

LAMP 20W, 30W
SIZE 120X110
CUT SIZE 100
BEAM ANGLE 15°, 24°, 36°



원형직매입 120

LAMP 20W, 30W
SIZE 120X110
CUT SIZE 105
BEAM ANGLE 15°, 24°, 36°



테네시170

LAMP 40W, 50W
SIZE 170X150
CUT SIZE 160
BEAM ANGLE 15°, 24°, 36°



6인치 직매입

LAMP 30W
SIZE 165X70
CUT SIZE 150
BEAM ANGLE 60°



미디회전 170

LAMP 40W, 50W
SIZE 170X145
CUT SIZE 150
BEAM ANGLE 15°, 24°, 36°



투링 170

LAMP 40W, 50W
SIZE 170X130
CUT SIZE 150
BEAM ANGLE 15°, 24°, 36°



테네시 220

LAMP 40W, 50W, 60W
SIZE 220X170
CUT SIZE 210
BEAM ANGLE 45°



직매입 220

LAMP 40W, 50W, 60W
SIZE 220X175
CUT SIZE 205
BEAM ANGLE 45°



회전매입 220

LAMP 40W, 50W, 60W
SIZE 220X175
CUT SIZE 205
BEAM ANGLE 45°



이중라인 직매입 220

LAMP 40W, 50W, 60W
SIZE 220X150
CUT SIZE 205
BEAM ANGLE 45°




마트형 220

LAMP 40W, 50W, 60W
SIZE 233X220
CUT SIZE 205
BEAM ANGLE 45°

리니얼 MULTI DOWN LIGHT

리니얼 A형



리니얼 A형 1등 매입
LAMP 2W
SIZE 45X45XH47
CCT 3000K,4000K
BEAM ANGLE 24°




리니얼 A형 2등 매입
LAMP 2WX2
SIZE 75X45XH47
CCT 3000K,4000K
BEAM ANGLE 24°



리니얼 A형 5등 매입
LAMP 2WX5
SIZE 147X45XH47
CCT 3000K,4000K
BEAM ANGLE 24°



리니얼 A형 10등 매입
LAMP 2WX10
SIZE 280X45XH47
CCT 3000K,4000K
BEAM ANGLE 24°



리니얼 A형 5등 직부 W, B
LAMP 2WX5
SIZE 138x34.5xH55
CCT 3000K,4000K
BEAM ANGLE 24°



리니얼 A형 10등 직부 W, B
LAMP 2WX10
SIZE 270X34.5XH55
CCT 3000K,4000K
BEAM ANGLE 24°



리니얼 B형-(TRIAC 디밍가능)



리니얼 B형 1등 매입
LAMP 4W
SIZE 61X61XH75
CCT 3000K,4000K,5700K
BEAM ANGLE 24°



리니얼 B형 3등 매입
LAMP 4WX3
SIZE 138X61XH75
CCT 3000K,4000K,5700K
BEAM ANGLE 24°



리니얼 B형 5등 매입
LAMP 4WX5
SIZE 214X61XH75
CCT 3000K,4000K,5700K
BEAM ANGLE 24°



리니얼 B형 10등 매입
LAMP 4WX10
SIZE 404X61XH73
CCT 3000K,4000K
BEAM ANGLE 24°



리니얼 B형 5등 직부 W, B
LAMP 4WX5
SIZE 195X43XH75
CCT 3000K,4000K,5700K
BEAM ANGLE 24°



리니얼 B형 10등 직부 W, B
LAMP 4WX10
SIZE 385X43XH75
CCT 3000K,4000K,5700K
BEAM ANGLE 24°



니즈 1등
LAMP 10W, 15W, 20W
SIZE 93X93XH100/130
BEAM ANGLE 24°, 36°, 50°



니즈 2등
LAMP 10W, 15W, 20W
SIZE 176X93XH100/130
BEAM ANGLE 24°, 36°, 50°



스퀘어 1등
LAMP 10W
SIZE 103X103XH100
CCT 3000K, 4000K
BEAM ANGLE 24°



스퀘어 2등
LAMP 10WX2
SIZE 180X103XH100
CCT 3000K, 4000K
BEAM ANGLE 24°



모더나 1등
LAMP 10W, 15W, 20W
SIZE 119x119x70/100
BEAM ANGLE 24°, 100°



모더나 2등
LAMP 10W, 15W, 20W (고효율 20Wx2/5000K)
SIZE 204X119XH70/100
BEAM ANGLE 24°, 100°



MR C형 1등
LAMP 10W, 15W, 20W
SIZE 105X105XH110
BEAM ANGLE 24°, 100°



MR C형 2등
LAMP 10W, 15W, 20W (고효율 20Wx2/4000K)
SIZE 105X195XH110
BEAM ANGLE 24°, 100°



MULTI DOWN LIGHT



MR COB 1등
LAMP 10W, 15W, 20W
SIZE 115X115X90
BEAM ANGLE 24°, 100°



MR COB 2등
LAMP 10W, 15W, 20W
SIZE 115X208X90
BEAM ANGLE 24°, 100°



파20 COB 1등
LAMP 20W, 30W
SIZE 135X135X130
BEAM ANGLE 15°, 24°, 36°



파20 COB 2등
LAMP 20WX2
SIZE 265X135X130
BEAM ANGLE 15°, 24°, 36°



MAS C형 1구
LAMP 30W, 40W
SIZE 140X140X128
BEAM ANGLE 15°, 24°, 36°



MAS C형 2구
LAMP 30WX2 (고효율 20W×2/4000K)
SIZE 250X140X155
BEAM ANGLE 15°, 24°, 36°



MAS K 1구
LAMP 30W, 40W
SIZE 135X135X150
BEAM ANGLE 15°, 24°, 36°



MAS K 2구
LAMP 30WX2
SIZE 245X135X150
BEAM ANGLE 15°, 24°, 36°



MAS 1구
LAMP 30W, 40W
SIZE 140X140X150
BEAM ANGLE 15°, 24°, 36°



MAS 2구
LAMP 30WX2
SIZE 242X140X150
BEAM ANGLE 15°, 24°, 36°



MTS 1구
LAMP 30W, 40W
SIZE 158X158X150
BEAM ANGLE 15°, 24°, 36°



MTS 2구
LAMP 30WX2
SIZE 286X158X150
BEAM ANGLE 15°, 24°, 36°



MFA 1구
LAMP 30W, 40W
SIZE 155X155X130
BEAM ANGLE 15°, 24°, 36°



MFA 2구
LAMP 30WX2
SIZE 265X155X145
BEAM ANGLE 15°, 24°, 36°



T/C 1구 COB
LAMP 30W
SIZE 152X152X140
BEAM ANGLE 15°, 24°, 36°



T/C 2구 COB
LAMP 30WX2
SIZE 275X152X140
BEAM ANGLE 15°, 24°, 36°



스틸 1구 COB
Size W185×D185×H155
Lamp COB 40W



스틸 2구 COB
Size W345×D185×H155
Lamp COB 40W×2



MSS 1구
Size W185×D185×H140
Lamp COB 40W



MSS 2구
Size W345×D185×H140
Lamp COB 40W×2




MCS 1구
Size W192×D192×H160
Lamp COB 40W



MCS 2구
Size W364×D192×H160
Lamp COB 40W×2

제품을 구매하시는
고객님께 무료로
실내조명 시뮬레이션을
지원해 드립니다.



BRACKET / CEILING / PENDANT LIGHT

펜타곤 80



펜타곤 100



샬럿 114직부



샬럿 90직부



샬럿 74직부



옥타곤70 2등B/R



옥타곤55 2등B/R



옥타곤 70 P/D



옥타곤 55 P/D



세느300



세느300



세느500



52롱



64롱



옥타곤70 B/R

































옥타곤55 B/R



LIGHTING NEWS
2권
다들 스포일러
2
3
4

CEILING / PENDANT LIGHT

 <p>원통52 LAMP AC 5W, 10W SIZE 52x120 CCT 3000K,4000K,5000K</p>	 <p>원통64 LAMP AC 10W, 15W SIZE 64x170 CCT 3000K,4000K,5000K</p>	 <p>원통76 LAMP AC 20W SIZE 76x155 CCT 3000K,4000K,5000K</p>	 <p>원통85 LAMP AC 20W SIZE 85x150 CCT 3000K,4000K,5000K</p>	 <p>원통93 LAMP AC 30W SIZE 93x150 CCT 3000K,4000K,5000K</p>	 <p>원통105 LAMP AC 30W SIZE 105x155 CCT 3000K,4000K,5000K</p>
 <p>원통110 LAMP 20W SIZE 110x123 BEAM ANGLE 24°</p>	 <p>원통130 LAMP 30W SIZE 130x125 BEAM ANGLE 45°</p>	 <p>원통170 LAMP 40W SIZE 170x183 BEAM ANGLE 45°</p>	 <p>원통190 LAMP 50W SIZE 195x195 BEAM ANGLE 45°</p>	 <p>원통105 LAMP AC 30W SIZE 105x250 CCT 3000K,4000K,5000K</p>	
 <p>스퀘어54적부 LAMP AC 10W SIZE 54x54x110 BEAM ANGLE 30°,45°</p>	 <p>스퀘어74적부 LAMP AC 20W SIZE 74x74x120 BEAM ANGLE 30°,45°</p>	 <p>스퀘어94적부 LAMP AC 30W SIZE 94x94x140 BEAM ANGLE 30°,45°</p>	 <p>스퀘어118적부 LAMP AC 40W SIZE 114x114x150 BEAM ANGLE 30°,45°</p>		
 <p>85 루바 S LAMP 10W, 15W SIZE 85x85x98 BEAM ANGLE 30°</p>		 <p>85 루바 R LAMP 10W, 15W SIZE 85x85x98 BEAM ANGLE 24°, 36°</p>		 <p>블랙 화이트 크롬_기본형 골드크롬</p>	
 <p>MR노출 COB 1등 LAMP 10W, 15W SIZE 95x95x130 BEAM ANGLE 24°, 36°</p>	 <p>MR노출 COB 2등 LAMP 10W, 15WX2 SIZE 192x95x130 BEAM ANGLE 24°, 36°</p>	 <p>MR노출 COB 3등 LAMP 10W, 15WX3 SIZE 290x95x130 BEAM ANGLE 24°, 36°</p>	 <p>모더나 1등 LAMP 8W SIZE 101x101x100 BEAM ANGLE 24°</p>	 <p>모더나 2등 LAMP 8WX2 SIZE 196x101x100 BEAM ANGLE 24°</p>	 <p>모더나 3등 LAMP 8WX3 SIZE 291x101x100 BEAM ANGLE 24°</p>
 <p>노출150ø COB 1등 LAMP 20W, 30W SIZE 150x150x185 150x150x150 BEAM ANGLE 15°, 24°, 36°</p>	 <p>노출150ø COB 2등 LAMP 20W, 30W SIZE 280x150x185 280x150x150 BEAM ANGLE 15°, 24°, 36°</p>	 <p>노출165ø COB 1등 LAMP 20W, 30W SIZE 165x165x185 165x165x150 BEAM ANGLE 15°, 24°, 36°</p>	 <p>노출165ø COB 2등 LAMP 20W, 30W SIZE 325x165x185 325x165x150 BEAM ANGLE 15°, 24°, 36°</p>	 <p>노출185ø COB 1등 LAMP 20W, 30W SIZE 185x185x185 185x185x150 BEAM ANGLE 15°, 24°, 36°</p>	 <p>노출185ø COB 2등 LAMP 20W, 30W SIZE 345x185x185 345x185x150 BEAM ANGLE 15°, 24°, 36°</p>